



ŠKODA
SIMPLY CLEVER

ŠKODA KAMIQ

Petrol engines

Technical specifications	1.0 TSI/70 kW	1.0 TSI/85 kW	1.0 TSI/85 kW (A)	1.5 TSI/110 kW	1.5 TSI/110 kW (A)
Engine					
Engine type	turbocharged petrol engine, in-line, liquid cooling system, DOHC, transverse in front				
Cylinders	3			4	
Displacement [cm ³]	999			1498	
Bore × Stroke [mm × mm]	74.5 × 76.4			74.5 × 85.9	
Max. engine performance/revs [kW at rpm]	70/5000–5500	85/5000–5500		110/5000–6000	
Max. torque/revs [Nm at rpm]	175/2000–3500	200/2000–3500		250/1500–3500	
Compression ratio	10.5 : 1				
Emission limit	EU 6 DG				
Fuel injection system	electronically controlled direct injection				
Ignition	control unit controlled electronic ignition system				
Lubrication	force-feed lubrication with through-flow oil filter				
Fuel quality	unleaded petrol min. RON 95				
Transmission					
Wheel drive	front wheel drive				
Clutch	hydraulic single dry clutch disc with membrane spring, asbestos free		two coaxial dry multiple-disk clutch, electro-hydraulically operated	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial dry multiple-disk clutch, electro-hydraulically operated
Transmission	manual 5-speed fully synchronized	manual 6-speed fully synchronized	automatic 7-speed, DSG, with Tiptronic manual gear changing	manual 6-speed fully synchronized	automatic 7-speed, DSG, with Tiptronic manual gear changing
Transmission ratio	I-3.77 II-1.96 III-1.28 IV-0.88 V-0.67 R-3.18	I-3.77 II-1.95 III-1.28 IV-0.97 V-0.78 VI-0.64 R-3.18	I-3.77 II-2.27 III-1.53 IV-1.13 V-1.18 VI-0.96 VII-0.80 R-4.17	I-4.11 II-2.12 III-1.36 IV-1.03 V-0.86 VI-0.73 R-4.00	I-3.50 II-2.09 III-1.34 IV-0.93 V-0.97 VI-0.78 VII-0.65 R-3.72
Axle ratio	4.357	4.056	I-4.778 II-3.583 III-4.526	3.647	I-4.800 II-3.429 III-4.500



ŠKODA
SIMPLY CLEVER

ŠKODA KAMIQ

Petrol engines

Technical specifications		1.0 TSI/70 kW	1.0 TSI/85 kW	1.0 TSI/85 kW (A)	1.5 TSI/110 kW	1.5 TSI/110 kW (A)
Chassis						
Front axle		MacPherson suspension with lower triangular links and torsion stabiliser				
Rear axle		compound link crank-axle				
Springs		telescopic shock absorbers with coil springs, in the rear outside the springs				
Braking system		hydraulic diagonal dual-circuit braking system, vacuum servo assisted				
Brake – front		disc brakes with inner cooling, with single/piston floating caliper				
Brake – rear		drum brakes			disc brakes	
Parking brake		manual, on rear wheels				
Steering system		direct rack and pinion steering with electro mechanic power steering				
Body						
Body		5 door, two compartment, 5 seater				
Drag coefficient c_w		0.328	0.330		0.324	
Outside dimensions						
Length	[mm]	4241				
Width	[mm]	1793				
Height (at kerb weight)	[mm]	1531				
Wheel base	[mm]	2651				
Clearance (at kerb weight)	[mm]	188				
Front overhang angle (at kerb weight)	[°]	18.7				
Rear overhang angle (at kerb weight)	[°]	28.4				
Height of the loading sill (at kerb weight)	[mm]	696				
Track front	[mm]	1531				
Track rear	[mm]	1516				
Inside dimensions						
Width of front seats	[mm]	1439				
Width of rear seats	[mm]	1425				
Headroom in front seats	[mm]	1051				
Headroom in rear seats	[mm]	1003				
Storage capacity	[l]	400				
Storage capacity with rear seatback folded down	[l]	1395				



ŠKODA
SIMPLY CLEVER

ŠKODA KAMIQ

Petrol engines

Technical specifications		1.0 TSI/70 kW	1.0 TSI/85 kW	1.0 TSI/85 kW (A)	1.5 TSI/110 kW	1.5 TSI/110 kW (A)
Weights						
Kerb weight – incl. driver*	[kg]	1214–1373	1231–1390	1251–1409	1265–1424	1277–1436
Payload – incl. driver*	[kg]	421–565	431–557	421–558	428–542	428–541
Total weight	[kg]	1702–1730	1710–1746	1732–1765	1687–1790	1699–1800
Max. roof load	[kg]	75				
Max. trailer load w/o brakes	[kg]	600	610	620	630	
Max. trailer load with brakes – 12%	[kg]	1150	1200	1200	1250	1250
Max. trailer load with brakes – 8%	[kg]	1150	1200	1200	1250	1250
Max. nose weight	[kg]	75				
Liquids						
Tank capacity	[l]	50				
Performance/consumption						
Maximum speed	[km/h]	181	194	193	213	212
Acceleration 0–100 km/h	[s]	11.1	9.9	10.0	8.3	8.4
Fuel consumption (WLTP)						
– combined	[l/100 km]	5.1–6.3	5.3–6.6	5.5–6.8	–	–
CO ₂ emissions	[g/km]	116–143	120–150	125–154	–	–
Turning circle diameter	[m]	10.1				

The technical data is valid for the basic version.

– The data are not available on the press deadline.

* Figures apply to basic version, weight of driver 75 kg.

The specified fuel consumption and emission data have been determined according to the measurement procedures prescribed by law. Since 1st September 2017, certain new vehicles are already being type-approved according to the Worldwide Harmonized Light Vehicles Test Procedure (WLTP), a more realistic test procedure for measuring fuel consumption and CO₂ emissions. Starting on September 1st 2018, the New European Driving Cycle (NEDC) will be replaced by the WLTP in stages. Owing to the more realistic test conditions, the fuel consumption and CO₂ emissions measured according to the WLTP will, in many cases, be higher than those measured according to the NEDC.


We are currently still required by law to state the NEDC figures. In the case of new vehicles which have been type-approved according to the WLTP, the NEDC figures are derived from the WLTP data. It is possible to specify the WLTP figures voluntarily in addition until such time as this is required by law. In cases where the NEDC figures are specified as value ranges, these do not refer to a particular individual vehicle and do not constitute part of the sales offering. They are intended exclusively as a means of comparison between different vehicle types. Additional equipment and accessories (e.g. add-on parts, different tyre formats, etc.) may change the relevant vehicle parameters, such as weight, rolling resistance and aerodynamics, and, in conjunction with weather and traffic conditions and individual driving style, may affect fuel consumption, electrical power consumption, CO₂ emissions and the performance figures for the vehicle.



ŠKODA
SIMPLY CLEVER

ŠKODA KAMIQ

Petrol engines





ŠKODA
SIMPLY CLEVER

ŠKODA KAMIQ

Diesel engines

Technical specifications	1.6 TDI/85 kW	1.6 TDI/85 kW (A)
Engine		
Engine type	turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, DOHC, transverse in front	
Cylinders	4	
Displacement [cm ³]	1598	
Bore × Stroke [mm × mm]	79.5 × 80.5	
Max. engine performance/revs [kW at rpm]	85/3250–4000	
Max. torque/revs [Nm at rpm]	250/1500–3250	
Compression ratio	16.2 : 1	
Emission limit	EU 6 DG	
Fuel injection system	electronically controlled high-pressure direct injection – common-rail system	
Lubrication	force-feed lubrication with through-flow oil filter	
Fuel quality	diesel	
Transmission		
Wheel drive	front wheel drive	
Clutch	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial dry multiple-disk clutch, electro-hydraulically operated
Transmission	manual 6-speed fully synchronized	automatic 7-speed, DSG, with Tiptronic manual gear changing
Transmission ratio	I-4.11 II-2.12 III-1.36 IV-0.97 V-0.77 VI-0.63 R-4.00	I-3.50 II-2.09 III-1.34 IV-0.93 V-0.97 VI-0.78 VII-0.65 R-3.72
Axle ratio	3.389	I-4.800 II-3.429 III-4.500
Chassis		
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser	
Rear axle	compound link crank-axle	
Springs	telescopic shock absorbers with coil springs, in the rear outside the springs	
Braking system	hydraulic diagonal dual-circuit braking system, vacuum servo assisted	
Brake – front	disc brakes with inner cooling, with single/piston floating caliper	
Brake – rear	disc brakes	
Parking brake	manual, on rear wheels	
Steering system	direct rack and pinion steering with electro mechanic power steering	
Body		
Body	5 door, two compartment, 5 seater	
Drag coefficient c _w	0.333	



ŠKODA
SIMPLY CLEVER

ŠKODA KAMIQ

Diesel engines

Technical specifications		1.6 TDI/85 kW	1.6 TDI/85 kW (A)
Outside dimensions			
Length	[mm]	4241	
Width	[mm]	1793	
Height (at kerb weight)	[mm]	1531	
Wheel base	[mm]	2651	
Clearance (at kerb weight)	[mm]	188	
Front overhang angle (at kerb weight)	[°]	18.7	
Rear overhang angle (at kerb weight)	[°]	28.4	
Height of the loading sill (at kerb weight)	[mm]	696	
Track front	[mm]	1531	
Track rear	[mm]	1516	
Inside dimensions			
Width of front seats	[mm]	1439	
Width of rear seats	[mm]	1425	
Headroom in front seats	[mm]	1051	
Headroom in rear seats	[mm]	1003	
Storage capacity	[l]	400	
Storage capacity with rear seatback folded down	[l]	1395	
Weights			
Kerb weight – incl. driver*	[kg]	1336–1495	1364–1510
Payload – incl. driver*	[kg]	414–564	417–552
Total weight	[kg]	1825–1843	1825–1857
Max. roof load	[kg]	75	
Max. trailer load w/o brakes	[kg]	660	680
Max. trailer load with brakes – 12%	[kg]	1250	
Max. trailer load with brakes – 8%	[kg]	1250	
Max. nose weight	[kg]	75	
Liquids			
Tank capacity	[l]	50	



ŠKODA
SIMPLY CLEVER

ŠKODA KAMIQ

Diesel engines

Technical specifications		1.6 TDI/85 kW	1.6 TDI/85 kW (A)
Performance/consumption			
Maximum speed	[km/h]	193	192
Acceleration 0–100 km/h	[s]	10.2	10.4
Fuel consumption (WLTP)			
– combined	[l/100 km]	4.8–5.5	5.0–5.8
CO ₂ emissions	[g/km]	126–144	132–153
Turning circle diameter	[m]	10.1	

The technical data is valid for the basic version.

* Figures apply to basic version, weight of driver 75 kg.

The specified fuel consumption and emission data have been determined according to the measurement procedures prescribed by law. Since 1st September 2017, certain new vehicles are already being type-approved according to the Worldwide Harmonized Light Vehicles Test Procedure (WLTP), a more realistic test procedure for measuring fuel consumption and CO₂ emissions. Starting on September 1st 2018, the New European Driving Cycle (NEDC) will be replaced by the WLTP in stages. Owing to the more realistic test conditions, the fuel consumption and CO₂ emissions measured according to the WLTP will, in many cases, be higher than those measured according to the NEDC.

We are currently still required by law to state the NEDC figures. In the case of new vehicles which have been type-approved according to the WLTP, the NEDC figures are derived from the WLTP data. It is possible to specify the WLTP figures voluntarily in addition until such time as this is required by law. In cases where the NEDC figures are specified as value ranges, these do not refer to a particular individual vehicle and do not constitute part of the sales offering. They are intended exclusively as a means of comparison between different vehicle types. Additional equipment and accessories (e.g. add-on parts, different tyre formats, etc.) may change the relevant vehicle parameters, such as weight, rolling resistance and aerodynamics, and, in conjunction with weather and traffic conditions and individual driving style, may affect fuel consumption, electrical power consumption, CO₂ emissions and the performance figures for the vehicle.



ŠKODA
SIMPLY CLEVER

ŠKODA KAMIQ

Diesel engines

